

Declaration of Performance

DoP №: GYP 14353-1-v1

1. Unique identification code of the product-type: Gyptone®
2. Element allowing identification of the construction product: INSTANT 600, INSTANT 2400, INSTANT 3600.
Product identification on label, date of production – DD-MM-YY
3. Intended use: General building construction.
4. Manufacturer: Gyproc A/S, Hareskovvej 12, 4400 Kalundborg, Denmark, www.gyptone.com
5. Authorised representative: N/A
6. System of assessment and verification of constancy of performance: System 3
7. In case of the construction product covered by a harmonised standard:
DBI Danish Institute of Fire and Security Technology, Notified Body 0845, performed the determination of the product –type reaction to fire on the basis of type testing under AVCP system 3, and issued the relevant test reports.
8. European Technical Assessment (ETA): N/A

| Essential characteristics from the Mandate | 9. Declared performance | Harmonised technical specification |
|--|-------------------------|------------------------------------|
| Shear strength: | NPD | EN 14353:2007 |
| Reaction to fire: | A2-s1,d0 | |
| Water vapour resistance factor: | NPD | |
| Stability of ceiling element | NPD | |
| Flexural strength | NPD | |
| Impact resistance | NPD | |
| Airborne sound insulation | NPD | |
| Acoustic absorption | NPD | |
| Thermal conductivity: | NPD | |

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4. A Factory production control system in compliance with EN ISO 9001:2008 adapted to EN 14353:2007 is established to ensure that the products conform to the stated performance characteristics.

Signed for and on behalf of the manufacturer by:

Kim Byberg - Product Manager - Gyptone
(name and function)

Kalundborg, 01.04.2013
(place and date of issue)

Kim Byberg
(signature)